



# SEQUEL

DIAGNOSTIC SERVICES PVT. LTD.  
476/11, Sector-8, Subhash Nagar,  
Gurgaon - 122001

www.sequeldiagnosticservices.com

# INVOICE

Receipt No. **803**

Date: **19/10/21**

9999-08-2050

customer.service@sequeldiagnosticservices.com

Name  Mr.  Ms. **Ram Singh 34/M**

Mobile No.: **9694460483** Alt No. ....

Email ID: .....

Address: **Sector 85 Bada gauh**

Mode of payment:  Cash  Debit Card  Credit Card  Online

Card Receipt No.: ..... Bank Name: .....

S.No.	Test Code	Test Name	Price
1		Fiver Panal	500/-
2		covid RT PCR	700/-
GATE IN NO. ....			
DATE <b>19/10/21</b>			
KRISUMI CORPORATION			
Total amount paid (in words): <b>ATN</b>			
Grand Total			1200/-

Receiver's Signature (after receiving the payment)

Name: **Abhi**

Customer's Signature

HIGHEST QUALITY

RIGHT PRICE

AT HOME SERVICES

- Sample Collection Time: 5:00 AM to 5:00 PM
- Customer care numbers are open from 6 am to 11 pm (Mon-Sat) and 6 am to 8 pm (Sunday & Holidays)
- In case of any change in package/sets from the invoice shared with you over email, please ensure the change is written on invoice & duly signed by collection executive.
- Please see reverse for important instructions.



Name : Mr. Ram Singh Lab ID : 11000216016  
Age : 34 Years Sample Collection Date : 20-10-2021 15:00 SRF ID : 0606202091159  
DOB : Sample Receipt Date : 20-10-2021 20:00  
Gender : Male Reporting Date : 21-10-2021 04:40  
Referring Physician : Location : GURGAON  
Hospital Name : Sequel Diagnostics CRM : 210465710199  
Report Status : Final Sample Quality: Adequate

ICMR Registration number: LICEINPLGH  
Sample type: Nasopharyngeal and Oropharyngeal swabs

**SARS-CoV- 2 RNA Qualitative Real Time PCR**

**RESULTS:**

Test Name	Result
SARS-CoV-2 RT PCR	NEGATIVE
COVID19 - ORF 1ab/RdRp Gene (CT Value)	Not Detected

**INTERPRETATION:**

Result	Remarks
POSITIVE	RNA specific to SARS-CoV-2 is detected in the given test sample
NEGATIVE	RNA specific to SARS-CoV-2 is NOT detected in the given test sample
INCONCLUSIVE	The given sample is Inconclusive for SARS-CoV-2, since the Internal Control (IC) not amplified. Strictly suggested for Repeat sample collection. Please correlate clinically. Not valid for travel purpose

**Methodology : Qualitative Real-Time polymerase chain reaction (RT-PCR)**

**Note:**

1. Positive results are indicative of the presence of SARS-CoV-2 RNA
2. Negative results does not rule out the possibility of SARS-CoV-2 infection.
3. Kindly consult a referring physician and correlate the results with clinical findings.
4. Test is carried out using ICMR approved kit/s
5. Positive control and internal control is used in every run for assay quality control.
6. Target gene detection specific for SARS-CoV-2 is ORF1ab/RdRp.
7. Ct Values stated above may be influenced by pre-analytical factors including sample type, sample collection, testing kit used and between testing laboratories, and are not indicative of severity of disease or disease progression.
8. It is recommended that these values should not be used in therapeutic or patient management related decisions.
9. Negative results indicate a Ct Value >35 or Nil as per the testing kit instructions.
10. Inconclusive results, due to Improper sample collection and or transportation. Hence, repeat sample collection is mandatory for the Inconclusive reports

**Disclaimer:**

Sensitivity can be affected by RT-PCR inhibitors and mutations in the viral genome. Ct Values stated above may be influenced by pre-analytical factors including sample type, sample collection, testing kit used and between testing laboratories, and are not indicative of severity of disease or disease progression. It is recommended that these values should not be used in therapeutic or patient management related decisions.

Dr. Pankhudi Gupta MBBS MD Path  
Laboratory Director

----- End Of Report -----

GATE IN  
NO. 2003  
DATE 22/10/21  
KRISUMI CORPORATION

Dr. Murugan Nandagopal Ph.D.,  
Scientist & DGM- Infectious Diseases



**SEQUEL**  
Diagnostic Services

476/11, Subhash Nagar, Old Railway Road  
Sector-08, Gurugram-122001

**HEALTH**  
Pathological Reports

Personal Health Report



Certificate No:SPUR/21



United Accreditation Foundation

<b>PATIENT NAME :</b>	<b>Mr. RAM SINGH</b>	<b>CIN NO :</b>	<b>U93090HR2017PTC071246</b>
<b>PATIENT ID :</b>	<b>2110190046</b>	<b>AGE :</b>	<b>34 Yrs. SEX : M</b>
<b>SAMPLE DRAWN :</b>	<b>19/10/2021</b>	<b>SAMPLE REC. :</b>	<b>19/10/2021</b>
<b>REF. DOCTOR :</b>	<b>KRISHNA CLINIC</b>	<b>REPORT STATUS :</b>	<b>REPORTED DATE :19/10/2021</b>
			<b>REPORTED TIME :23:17:31</b>

Test Name	Value	Unit	Biological Refrance Range
-----------	-------	------	---------------------------

**HAEMATOLOGY**

**COMPLETE BLOOD COUNT (CBC)**

HAEMOGLOBIN (Hb)	16.4	gm/dl	13.5 - 18.0
TOTAL LEUCOCYTE COUNT (TLC)	<u>3,900</u>	/cumm	4000 - 11000

**ROUTINE WBC DIFFERENTIAL**

NEUTROPHIL	48.4	%	40 - 75
LYMPHOCYTE	<u>48.0</u>	%	20 - 45
EOSINOPHIL	1.2	%	01 - 06
MONOCYTE	2.4	%	02 - 10
BASOPHIL	0.0	%	0 - 1
RED BLOOD CELL COUNT	5.37	Millions/cmm	4.0 - 6.0
P.C.V / HAEMATOCRIT	49.2	%	40 - 54
MEAN COSRPUSCULAR VOLUME (MCV)	91.62	fl.	80 - 100
MEAN CORPUSCULAR HB (MCH)	30.54	Picogram	27.0 - 31.0
MEAN CORPUSCULAR HB CONC. (MCHC)	33.3	gm/dl	33 - 37
PLATELET COUNT	<u>1.45</u>	Lakh/cmm	1.50 - 4.50
RED CELL DISTRIBUTION WIDTH (CV)	12.6	fl.	11.0 - 15.5
RED CELL DISTRIBUTION WIDTH (SD)	41.2	fl.	37.0 - 46.0
MEAN PLATELET VOLUME (MPV)	<u>12.1</u>	fl.	8.0 - 12.0
PLATELET DISTRIBUTION WIDTH (PDW)	13.6	fl.	9.0 - 14.0
P-LCR	<u>35.2</u>	%	15.0 - 35.0
PCT	<u>0.18</u>	%	0.19 - 0.40
ESR (WESTEGREN's METHOD)	<u>28</u>	mm/1st hr.	0 - 15
MALARIA PARASITE (M.P)			



**SEQUEL**  
Diagnostic Services

**HEALTH**  
Pathological Report

Personal Health Report

475/11, Subhash Nagar, Old Railway Road  
Sector-08, Gurugram-122001



United Accreditation Foundation

<b>PATIENT NAME :</b>	<b>Mr. RAM SINGH</b>	<b>CIN NO :</b>	<b>U93090HR2017PTC071246</b>
<b>PATIENT ID :</b>	<b>2110190046</b>	<b>AGE :</b>	<b>34 Yrs. SEX : M</b>
<b>SAMPLE DRAWN :</b>	<b>19/10/2021</b>	<b>SAMPLE REC. :</b>	<b>19/10/2021</b>
<b>REF. DOCTOR :</b>	<b>KRISHNA CLINIC</b>	<b>REPORT STATUS :</b>	<b>REPORTED DATE :19/10/2021</b>
			<b>REPORTED TIME : 23:17:31</b>

Test Name	Value	Unit	Biological Refrrence Range
-----------	-------	------	----------------------------

**Malaria Parasite in Thick and thin smears.**

**RESULT:** NOT SEEN NOT SEEN

**INTERPRETATION :**

Microscopic methods of detection may miss low levels of parasitemia. In case of strong index of clinical suspicion, serologic test for malaria may be performed.

**SEROLOGY**

**WIDAL TEST (SLIDE METHOD)**

Test Name With Methodology	Result	Unit	Biological Ref.Interval
<b>Widal Test (Slide Test)</b>			
Salmonella Typhi 'O' Serum, Slide Agglutination	1:160		<1:80
Salmonella Typhi 'H' Serum, Slide Agglutination	1:80		<1:80
S.Paratyphi 'AH' Serum, Slide Agglutination	<1:80		<1:80
S.Paratyphi 'BH' Serum, Slide Agglutination	<1:80		<1:80

**Result:** POSITIVE

**COMMENT:**

Widal Test is an agglutination test which detects the presence of serum agglutinins (H and O) in patients serum with typhoid and paratyphoid fever. Timing of test is important, as antibodies begin to arise during end of first week. The titres increase during second, third and fourth week after which it gradually declines. The test may be negative in early part of first week. Single test is usually of not much value. A rise in titre between two sera specimens is more meaningful than a single test. If the first sample is taken late in the disease, a rise in titre may not be demonstrable. Instead, there may be a fall in titre.

False positive Widal test results are also known to occur in typhus, acute falciparum malaria (particularly in children), chronic liver disease associated with raised globulin levels and disorders such as rheumatoid arthritis, myelomatosis and nephrotic syndrome.

False negative Widal tests may be due to antibody responses being blocked by early antimicrobial treatment or following a typhoid relapse.

**Method: Slide Agglutination test**



**SEQUEL**  
Diagnostic Services

**HEALTH**  
Pathological Report

Personal Health Report

476/11, Subhash Nagar, Old Railway Road  
Sector-08, Gurugram- 122001



Certificate No. 174012AV

Unimed Accreditation Foundation

<b>PATIENT NAME :</b>	<b>Mr. RAM SINGH</b>	<b>AGE :</b>	<b>34 Yrs.</b>	<b>SEX :</b>	<b>M</b>	<b>CIN NO :</b>	<b>U93090HR2017PTC071246</b>
<b>PATIENT ID :</b>	<b>2110190046</b>	<b>SAMPLE DRAWN :</b>	<b>19/10/2021</b>	<b>SAMPLE REC. :</b>	<b>19/10/2021</b>	<b>ACCESS. NO. :</b>	<b>46</b>
<b>REF. DOCTOR :</b>	<b>KRISHNA CLINIC</b>	<b>REPORT STATUS :</b>		<b>REPORTED DATE :</b>	<b>19/10/2021</b>	<b>REPORTED TIME :</b>	<b>23:17:31</b>

Test Name	Value	Unit	Biological Refrnce Range
-----------	-------	------	--------------------------

**BIO CHEMISTRY**

<b>BILIRUBIN TOTAL</b> Method : Diazo Sample, Serum	0.42	mg/dl	0.3 - 1.2
<b>CONJUGATED (D. Bilirubin)</b> Method : Diazo Sample, Serum	0.08	mg/dl	0.0 - 0.20
<b>UNCONJUGATED (I.D. Bilirubin)</b> Calculated	0.34	mg/dl	0.10 - 1.0

**Important Instructions**

1. Test result released pertain to the specimen submitted.
2. All test results are dependent on the quality of the sample received by the laboratory.
3. Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the referring Physician.
4. Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.
5. Test result may show inter laboratory variation.
6. These test result are not valid for medico legal purposes.
7. For all queries related to test result please contact customer care at - 9999082050, 8130730651.
8. This is system generated report it doesn't require any signature.

Note: \*Test Performed by NABL ACCREDITED Laboratory.

FOR QUARIES CALL : 9999082050

**Dr. K D SHARMA**  
**MBBS, MD (PATHO & MICRO)**  
**CONSULTANT PATHOLOGIST**